

# Hospital Equity Measures Report

## General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
Hospital Name:	SAN JOAQUIN GENERAL HOSPITAL
Facility Type:	General Acute Care Hospital
Hospital HCAI ID:	106391010
Report Period:	01/01/2024 - 12/31/2024
Status:	Submitted
Due Date:	11/29/2025
Last Updated:	11/26/2025
Hospital Location with Clean Water and Air:	N
Hospital Web Address for Equity Report:	<a href="https://www.sanjoaquingeneral.org/health-equity">https://www.sanjoaquingeneral.org/health-equity</a>

## Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

## Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:

[https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill\\_id=202120220AB1204](https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204)

## Hospital Equity Measures

### Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce-health-care-disparities/>

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

62708

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	47310	62708	75.4
Spanish Language	12733	62708	20.3
Asian Pacific Islander Languages	1721	62708	2.7
Middle Eastern Languages	99	62708	0.2
American Sign Language	32	62708	0.1
Other Languages	813	62708	1.3

**Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure**

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a general acute care hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:  
<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

**Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)**

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

**CMS HCHE Measure Domain 2: Data Collection (Yes/No)**

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.

- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

Y

### CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

### CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

### CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

## Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

8862

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

8862

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

100.0

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

<b>Social Driver of Health</b>	<b>Number of positive screenings</b>	<b>Rate of positive screenings (%)</b>	<b>Number of positive screenings who received intervention</b>	<b>Rate of positive screenings who received intervention (%)</b>
<b>Food Insecurity</b>	714	8.1	105	1.2
<b>Housing Instability</b>	1013	11.4	314	3.5
<b>Transportation Problems</b>	718	8.1	313	3.5
<b>Utility Difficulties</b>	702	7.9	111	1.3
<b>Interpersonal Safety</b>	46	0.5	8	0.1

## Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

## Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

842

Total number of respondents to HCAHPS Question 19

935

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

90.1

Total number of people surveyed on HCAHPS Question 19

3896

Response rate, or the percentage of people who responded to HCAHPS Question 19

24.0

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					

  

<b>Age</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					

  

<b>Sex assigned at birth</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Female					
Male					
Unknown					

  

<b>Payer Type</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Medicare					
Medicaid					
Private					
Self-Pay					
Other					

  

<b>Preferred Language</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign Language					
Other/Unknown Languages					

<b>Disability Status</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Does not have a disability					
Has a mobility disability					
Has a cognition disability					
Has a hearing disability					
Has a vision disability					
Has a self-care disability					
Has an independent living disability					

  

<b>Sexual Orientation</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

  

<b>Gender Identity</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

## Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

767

Total number of respondents to HCAHPS Question 17

935

Percentage of respondents who responded "yes" to HCAHPS Question 17

82.0

Total number of people surveyed on HCAHPS Question 17

3896

Response rate, or the percentage of people who responded to HCAHPS Question 17

24.0

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>American Indian or Alaska Native</b>					
<b>Asian</b>					
<b>Black or African American</b>					
<b>Hispanic or Latino</b>					
<b>Middle Eastern or North African</b>					
<b>Multiracial and/or Multiethnic (two or more races)</b>					
<b>Native Hawaiian or Pacific Islander</b>					
<b>White</b>					

<b>Age</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Age &lt; 18</b>					
<b>Age 18 to 34</b>					
<b>Age 35 to 49</b>					
<b>Age 50 to 64</b>					
<b>Age 65 Years and Older</b>					

<b>Sex assigned at birth</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Female</b>					
<b>Male</b>					
<b>Unknown</b>					

<b>Payer Type</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Medicare</b>					
<b>Medicaid</b>					
<b>Private</b>					
<b>Self-Pay</b>					
<b>Other</b>					

<b>Preferred Language</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>English Language</b>					
<b>Spanish Language</b>					
<b>Asian Pacific Islander Languages</b>					
<b>Middle Eastern Languages</b>					
<b>American Sign</b>					
<b>Other/Unknown Languages</b>					

<b>Disability Status</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Does not have a disability</b>					
<b>Has a mobility disability</b>					
<b>Has a cognition</b>					
<b>Has a hearing disability</b>					
<b>Has a vision disability</b>					
<b>Has a self-care</b>					
<b>Has an independent living disability</b>					

<b>Sexual Orientation</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Lesbian, gay or homosexual</b>					
<b>Straight or heterosexual</b>					
<b>Bisexual</b>					
<b>Something else</b>					
<b>Don't know</b>					
<b>Not disclosed</b>					

Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

## Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:  
<https://qualityindicators.ahrq.gov/>

### Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:  
[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_20\\_Pneumonia\\_Mortality\\_Rate.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf)

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

12

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

294

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

40.8

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>American Indian or Alaska Native</b>	suppressed	suppressed	suppressed
<b>Asian</b>	suppressed	suppressed	suppressed
<b>Black or African American</b>	suppressed	suppressed	suppressed
<b>Hispanic or Latino</b>	suppressed	suppressed	suppressed
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more)</b>	suppressed	suppressed	suppressed
<b>Native Hawaiian or Pacific Islander</b>	suppressed	suppressed	suppressed
<b>White</b>	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Age &lt; 18</b>			
<b>Age 18 to 34</b>	0	22	0.0
<b>Age 35 to 49</b>	suppressed	suppressed	suppressed
<b>Age 50 to 64</b>	suppressed	suppressed	suppressed
<b>Age 65 Years and Older</b>	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Female</b>	suppressed	suppressed	suppressed
<b>Male</b>	suppressed	suppressed	suppressed
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Medicare</b>	suppressed	suppressed	suppressed
<b>Medicaid</b>	suppressed	suppressed	suppressed
<b>Private</b>	suppressed	suppressed	suppressed
<b>Self-Pay</b>			
<b>Other</b>	0	35	0.0

<b>Preferred Language</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	0	49	0.0
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	suppressed	suppressed	suppressed

<b>Disability Status</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

<b>Sexual Orientation</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

<b>Gender Identity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

# Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI\\_04\\_Death\\_Rate\\_among\\_Surgical\\_Inpatients\\_with\\_Serious\\_Treatable\\_Complications.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf)

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

12

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

60

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

200.0

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18	suppressed	suppressed	suppressed
Age 18 to 34	0	11	0.0
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

<b>Sex assigned at birth</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Female</b>	suppressed	suppressed	suppressed
<b>Male</b>	suppressed	suppressed	suppressed
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Medicare</b>	suppressed	suppressed	suppressed
<b>Medicaid</b>	suppressed	suppressed	suppressed
<b>Private</b>	suppressed	suppressed	suppressed
<b>Self-Pay</b>			
<b>Other</b>	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>English Language</b>	suppressed	suppressed	suppressed
<b>Spanish Language</b>	suppressed	suppressed	suppressed
<b>Asian Pacific Islander Languages</b>	suppressed	suppressed	suppressed
<b>Middle Eastern Languages</b>			
<b>American Sign Language</b>			
<b>Other/Unknown Languages</b>	suppressed	suppressed	suppressed

  

<b>Disability Status</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Does not have a disability</b>			
<b>Has a mobility disability</b>			
<b>Has a cognition disability</b>			
<b>Has a hearing disability</b>			
<b>Has a vision disability</b>			
<b>Has a self-care disability</b>			
<b>Has an independent living disability</b>			

  

<b>Sexual Orientation</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Lesbian, gay or homosexual</b>			
<b>Straight or heterosexual</b>			
<b>Bisexual</b>			
<b>Something else</b>			
<b>Don't know</b>			
<b>Not disclosed</b>			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

### CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

137

Total number of nulliparous NTSV patients

590

Rate of NTSV patients with Cesarean deliveries

0.232

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Age < 18	suppressed	suppressed	suppressed
Age 18 to 29	104	462	0.225
Age 30 to 39	suppressed	suppressed	suppressed
Age 40 Years and Older	0		

  

<b>Sex assigned at birth</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Male			
Unknown			

  

<b>Payer Type</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	132	555	0.238
Private	suppressed	suppressed	suppressed
Self-Pay	0		
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language	0		
Other/Unknown Languages	suppressed	suppressed	suppressed

<b>Disability Status</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_22\\_Vaginal\\_Birth\\_After\\_Cesarean\\_\(VBAC\)\\_Delivery\\_Rate\\_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

90

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria

## Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

243.9

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>American Indian or Alaska Native</b>	suppressed	suppressed	suppressed
<b>Asian</b>	suppressed	suppressed	suppressed
<b>Black or African American</b>	suppressed	suppressed	suppressed
<b>Hispanic or Latino</b>	suppressed	suppressed	suppressed
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more races)</b>	0	11	0.0
<b>Native Hawaiian or Pacific</b>	suppressed	suppressed	suppressed
<b>White</b>	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Age &lt; 18</b>	suppressed	suppressed	suppressed
<b>Age 18 to 29</b>	suppressed	suppressed	suppressed
<b>Age 30 to 39</b>	suppressed	suppressed	suppressed
<b>Age 40 Years and Older</b>	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Female</b>			
<b>Male</b>			
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Medicare</b>	0		
<b>Medicaid</b>	suppressed	suppressed	suppressed
<b>Private</b>	suppressed	suppressed	suppressed
<b>Self-Pay</b>	0		
<b>Other</b>	suppressed	suppressed	suppressed

<b>Preferred Language</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language	0		
Other/Unknown Languages	suppressed	suppressed	suppressed

  

<b>Disability Status</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			

  

<b>Sexual Orientation</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser: <https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

218

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

388

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

56.2

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
American Indian or Alaska Native	0		
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	158	256	61.7
Middle Eastern or North African	0		
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

Age	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Age < 18	suppressed	suppressed	suppressed
Age 18 to 29	126	224	56.2
Age 30 to 39	suppressed	suppressed	suppressed
Age 40 Years and Older	suppressed	suppressed	suppressed

<b>Sex assigned at birth</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Female</b>			
<b>Male</b>			
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Medicare</b>	0		
<b>Medicaid</b>	suppressed	suppressed	suppressed
<b>Private</b>	suppressed	suppressed	suppressed
<b>Self-Pay</b>	0		
<b>Other</b>	0		

  

<b>Preferred Language</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>English Language</b>	suppressed	suppressed	suppressed
<b>Spanish Language</b>	suppressed	suppressed	suppressed
<b>Asian Pacific Islander Languages</b>	suppressed	suppressed	suppressed
<b>Middle Eastern Languages</b>	suppressed	suppressed	suppressed
<b>American Sign Language</b>	0		
<b>Other/Unknown Languages</b>	suppressed	suppressed	suppressed

  

<b>Disability Status</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Does not have a disability</b>			
<b>Has a mobility disability</b>			
<b>Has a cognition disability</b>			
<b>Has a hearing disability</b>			
<b>Has a vision disability</b>			
<b>Has a self-care disability</b>			
<b>Has an independent living</b>			

<b>Sexual Orientation</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

[https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions\\_ADA.pdf](https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf)

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

671

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

5494

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older

12.2

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>American Indian or Alaska Native</b>	suppressed	suppressed	suppressed
<b>Asian</b>	74	635	11.7
<b>Black or African American</b>	145	914	15.9
<b>Hispanic or Latino</b>	187	1849	10.1
<b>Middle Eastern or North African</b>	suppressed	suppressed	suppressed
<b>Multiracial and/or Multiethnic (two or more races)</b>	17	93	18.3
<b>Native Hawaiian or Pacific Islander</b>	suppressed	suppressed	suppressed
<b>White</b>	199	1474	13.5

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Age 18 to 34</b>	89	1549	5.7
<b>Age 35 to 49</b>	123	1091	11.3
<b>Age 50 to 64</b>	191	1267	15.1
<b>Age 65 Years and Older</b>	268	1587	16.9

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Female</b>	280	2839	9.9
<b>Male</b>	391	2655	14.7
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Medicare</b>	227	1314	17.3
<b>Medicaid</b>	302	3158	9.6
<b>Private</b>	15	299	5.0
<b>Self-Pay</b>	suppressed	suppressed	suppressed
<b>Other</b>	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>English Language</b>	574	4567	12.6
<b>Spanish Language</b>	suppressed	suppressed	suppressed
<b>Asian Pacific Islander Languages</b>	suppressed	suppressed	suppressed
<b>Middle Eastern Languages</b>	0	11	0.0
<b>American Sign Language</b>	suppressed	suppressed	suppressed
<b>Other/Unknown Languages</b>	suppressed	suppressed	suppressed

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

78

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

538

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

14.5

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay			
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language	suppressed	suppressed	suppressed
Other/Unknown Languages	suppressed	suppressed	suppressed

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

107

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

660

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

16.2

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay			
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	suppressed	suppressed	suppressed

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

45

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

194

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

23.2

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay			
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

441

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

4102

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

10.8

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African	suppressed	suppressed	suppressed
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	215	2329	9.2
Male	226	1773	12.7
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	0	11	0.0
American Sign Language	suppressed	suppressed	suppressed
Other/Unknown Languages	suppressed	suppressed	suppressed

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

## Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor			Private	5.0	3.4
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)			18 to 34	5.7	2.9
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)			18 to 34	5.7	2.6
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)			18 to 34	5.7	2.0
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor			Private	5.0	1.9
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity			Hispanic or Latino	10.1	1.8
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity			Hispanic or Latino	10.1	1.6
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Sex Assigned at Birth			Female	9.9	1.5
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, stratified by behavioral health diagnosis (No Behavioral Health Diagnosis)	Sex Assigned at Birth			Female	9.2	1.4
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity			Hispanic or Latino	10.1	1.3

#### Plan to address disparities identified in the data

Initial analysis of the top 10 disparities identified using the stratification methodology described by the Health Equity Report submission guide was completed. This included presentation to our hospital Medical Executive Committee. The top 10 disparities are all in the All-Cause Unplanned 30-day Readmission category. In efforts to address All-Cause Unplanned 30-day Readmissions, SJGH has implemented the following actions: 1. Daily rounding with Case Management, Nursing, and Physician teams to identify patients at risk for discharge delay and difficulty with transitions to home. Case Management facilitates complex care placement and discharge phone calls to reeducate patients on post-hospital care and medication management - Status On-going; 2. Implementation of a Discharge Clinic led by Internal Medicine aimed at bridging hospital and ED patient to primary care providers. This clinic is multi-disciplinary and a partnership between the hospital and ambulatory care services. A multi-disciplinary care team assists with continuity of care including PCP examination, medication education and prescription authorizations, and patient education - Status On-going; 3. Partnership with community organizations for mental health and substance use disorder resources to establish care and reduce dependency on Emergency Department and hospital inpatient services - Status On-going; 4. Development of a Health Equity Workgroup (HEW) that will provide strategic oversight in the areas of workforce professional development and training, identification of health equity gaps, and monitoring of health equity related initiatives in the organization - Status In Progress with launch date of Q1 2026; 5. Request for Proposal process for consultancy support to enrich the equity components of the hospital strategic plan - Status In progress. San Joaquin General Hospital is committed to the developing measurable goals, defining timelines, and engaging community stakeholders to enhance our equity plan.

## Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

### Person-centered care

San Joaquin General Hospital is committed to delivering person-centered, community-oriented, culturally sensitive, and affordable health care. We monitor our performance in patient satisfaction areas including: physician communication, nurse communication, discharge transitions, and overall rate hospital. SJGH annual performance resulting in a likelihood to recommend has increased year over year with a likelihood to recommend of 64.9%. In addition, there were improvement in 7 of the 8 measured categories including communication with nurses, response of hospital staff, communication with doctors, communication about medicines, discharge information, and restful environment. In efforts to continue to improve, SJGH has a hospital committee dedicated to the review of patient feedback and implementation of strategies to improve performance. Our diverse population requires access to interpreter services and translation support. SJGH leverages trained employees and electronic, virtual translation services to optimize patient- provider communication. Employees complete annual training specific to teamwork and communication with patients. Nursing and provider leaders round to engage patients in conversation regarding their care and opportunities for improvement and recognition of fellow employees. Hospital departments have unit based committees focused on the unique person-centered opportunities for their patient population that are led by providers and clinicians from the department. Actions in this area include sharing of best practices from unit to unit in efforts to standardize care; monthly review of patient feedback and comments related to the key focus areas of communication, listening, teamwork, and environment of care; routine leadership rounding; and assessment of training materials to enhance employee customer service.

### Patient safety

San Joaquin General Hospital prioritizes patient safety as a foundational element of high-quality care. We are committed to implementing evidence-based practice, staff engagement, and a continuous quality improvement with a specific focus on reducing preventable harm. Over the past 24 months, we have achieved a tremendous reduction in hospital acquired infections and conditions. Our performance outcomes include: greater than 50-percent reduction in central line associated blood stream infections and catheter associated urinary tract infections; greater than 40-percent reduction in surgical site infections; greater than 60-percent reduction in hospital-associated multi-drug resistant organism transmission; greater than 94-percent hand hygiene compliance; sustained decrease in nulliparous term singleton vertex c-section rate. SJGH participates in quality and safety programs such as those monitored by CMS and CalCompare. Annual education for hospital employees includes infection prevention, fall prevention, medication safety. Monthly monitoring of quality and safety measures reinforces accountability and focus on improvement efforts.

### Addressing patient social drivers of health

San Joaquin General Hospital screens for social determinants of health including housing instability, food insecurity, transportation barriers, limited access to medications, safety concerns, and caregiver support. SJGH employs licensed clinical social workers that are staffed 24/7 to ensure needs are addressed and referrals to community-based resources are timely. Case Management and Social Worker teams partner to identify community organizations and social services to address diverse and complex patient needs. They provide resources for shelters and temporary housing,

food assistance programs, transportation vouchers, and referrals for behavioral and substance abuse services. The tracking and monitoring of SDOH data in efforts to develop strategic priorities linked to SDOH drivers are in the early concept phases.

## **Performance in the priority area continued**

Performance across all of the following priority areas.

### **Effective treatment**

San Joaquin General Hospital demonstrates consistent performance in metrics that indicate timely and effective treatment. Evidence-based and coordinated treatment is a core priority as evidenced by our Level II Trauma Center, Level III Community NICU, Certified Primary Stroke Center, High-Risk Obstetrics, Advanced General Medical-Surgical Intensive Care Unit, and Emergency Department. Use of the electronic medical record to support care coordination and clinical documentation; monitoring patient outcomes through quality and safety reporting systems; and leveraging outcome and process measure data to improve clinical care are tools to effectively treat our patients. For example, our Trauma Center has exceeded standards in door to OR time and continues to look for ways to reduce and eliminate delays for critical patients. On-going efforts in this area include continued participation in quality and patient safety programs that provide the ability to monitor our performance and collaborate with other health care systems to improve practices.

### **Care coordination**

San Joaquin General Hospital is committed to care coordination and works to ensure our patients successfully transition from one care area to the next. Whether we are transitioning from ED to inpatient or inpatient to outpatient, SJGH looks for ways to optimize the coordination and reduce unplanned readmissions. Collaboration between medical teams and case management through daily rounding helps to minimize discharge delays and identify resources to support transitions to home. SJGH utilizes the electronic medical record to support discharge education and communication with providers in the community through shared information portals. On-going efforts to address care coordination are occurring in our Discharge Clinic. This Discharge Clinic aims to support the post-hospital discharge transition to primary care providers by expediting the post-hospital clinic appointment, specifically for patients that do not have an identified primary care provider. This multi-disciplinary discharge clinic supports reinforcement of patient education, pharmacy support for medication reconciliation and authorization, and a provider exam to address complex medical care needs. This discharge clinic will be monitored for impact on complex care coordination and prevention of hospital readmissions.

### **Access to care**

San Joaquin General Hospital ensures timely, equitable, and convenient access to care regardless of payor or insurance status. We believe that all members of our community deserve access to high quality healthcare as evidenced in our mission and vision statements. Our medical financial assistance program works with patients to determine financial eligibility for various state and federal programs in efforts to eliminate ability to pay as a barrier to health. In addition, SJGH enhances access to care by leveraging virtual consultation and telehealth - improving access to specialty care in our community. Partnerships with Veteran's Affairs and California Department of Corrections increases the access to healthcare for our veterans and incarcerated in our community. In the last year, SJGH has opened a out-patient surgery clinic to support increased access to timely surgical procedures. SJGH has also added state of the art robotic services to multiple operative specialties to improve surgical techniques and clinical outcomes. SJGH also partners with our ambulatory care services to optimize patient referrals and scheduling while reducing wait times. We continue to monitor timeliness of appointments, no show rates, and left without being seen data in efforts to

reduce barriers to primary care. On-going efforts to address access to care will focus on capacity management for our ED and medical surgical units.

## **Methodology Guidelines**

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y